

# INDEX MAPS.

## T. 25N, R. 3W. 2<sup>nd</sup> Mer.

Meanders 82, 104, 120

|    |     |     |     |    |    |    |    |    |       |    |       |    |
|----|-----|-----|-----|----|----|----|----|----|-------|----|-------|----|
|    | 79  |     | 79  |    | 78 |    | 78 |    | 78    |    | 77    |    |
| 81 | 6   | 104 | 5   | 98 | 4  | 93 | 3  | 88 | 2     | 87 | 1     | 77 |
|    | 103 |     | 103 |    | 98 |    | 93 |    | 88    |    | 86    |    |
| 81 | 7   | 103 | 8   | 98 | 9  | 93 | 10 | 87 | 11    | 86 | 12    | 76 |
|    | 103 |     | 102 |    | 97 |    | 92 |    | 87    |    | 86    |    |
| 80 | 18  | 102 | 17  | 97 | 16 | 91 | 15 | 87 | 14    | 85 | 13    | 76 |
|    | 102 |     | 101 |    | 96 |    | 91 |    | 83-84 |    | 84    |    |
| 80 | 19  | 101 | 20  | 96 | 21 | 90 | 22 | 83 | 23    | 84 | 24    | 76 |
|    | 101 |     | 100 |    | 95 |    | 90 |    | 83    |    | 84-81 |    |
| 80 | 30  | 100 | 29  | 95 | 28 | 89 | 27 | 82 | 26    | 85 | 25    | 75 |
|    | 99  |     | 99  |    | 94 |    | 89 |    | 82    | 85 |       |    |
| 79 | 31  | 99  | 32  | 94 | 33 | 89 | 34 | 82 | 35    |    | 36    | 75 |
|    | 75  |     | 74  |    | 74 |    | 73 |    | 73    |    | 73    |    |

## T. 26N, R. 3W. 2<sup>nd</sup> Mer.

Meanders 149

|     | 126 |     | 126 |     | 126 |     | 125 |     | 125 |     | 125 |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 128 | 6   | 148 | 5   | 148 | 4   | 140 | 3   | 135 | 2   | 131 | 1   | 124 |
|     | 148 |     | 148 |     | 149 |     | 140 |     | 134 |     | 131 |     |
| 127 | 7   | 147 | 8   | 146 | 9   | 139 | 10  | 134 | 11  | 130 | 12  | 124 |
|     | 147 |     | 147 |     | 146 |     | 139 |     | 134 |     | 130 |     |
| 127 | 18  | 146 | 17  | 145 | 16  | 138 | 15  | 133 | 14  | 130 | 13  | 124 |
|     | 145 |     | 145 |     | 142 |     | 138 |     | 133 |     | 129 |     |
| 127 | 19  | 144 | 20  | 142 | 21  | 137 | 22  | 133 | 23  | 129 | 24  | 123 |
|     | 144 |     | 144 |     | 142 |     | 137 |     | 132 |     | 129 |     |
| 126 | 30  | 144 | 29  | 141 | 28  | 136 | 27  | 132 | 26  | 128 | 25  | 123 |
|     | 143 |     | 143 |     | 141 |     | 136 |     | 132 |     | 128 |     |
| 126 | 31  | 143 | 32  | 141 | 33  | 135 | 34  | 131 | 35  | 128 | 36  | 123 |
|     | 123 |     | 122 |     | 122 |     | 121 |     | 121 |     | 121 |     |

The figures on the lines refer to the page.

73

Township N. 25 North, Range N. 3 West 2. Mo. Ind. a

### Township Lines.

Chs. Ltr. South Boundary.

West on the S. Boundary of Sec. 30

3.59 set post on left bank of Wabash R. from which  
a Hackberry 11 in. diameter N 50 E 11 Ms. dist. 8  
a Sycamore 60 " " " S 15 W 24 " "  
Surveyed in 1819 by William Harris

Dep. Surveyor.

Continued in 1829 by David Willis, S. S.  
Commencing at post on left bank of Wabash R.

3.59 Chs. W. of Towns. cor.

8.59 to right bank of Wabash River  
76.41 cor. of sec. 35 & 36 in Reserve

---

West on the S. Boundary of Sec. 35

27.64 set post on Reserve line 23.91 Chs. N. of S. W. cor.  
thereof, from which  
a B. Oak 6 in. diameter S 50 W 152 Ms. dist.  
no other trees

28.00 enter Prairie

40.00 set q. sec. post in Prairie

65.64 a Buckeye 24 in. dia.

80.00 set post cor. of sec. 34 & 35 from which

a Bur Oak 15 in. diameter N 36 E 41 Ms. dist. 18  
a Hickory 9 " " " N 65 W 117 " "  
Land level & wet, timber Elm, Oak & Buckeye,  
no Upland

---

West on the S. Boundary of Sec. 34

6.00 enter S. Prairie

17.50 leave do

37.27 a W. Oak 24 in. dia.

40.00 set q. sec. post from which

a W. Oak 18 in. diameter N 72 E 35 Ms. dist. 8  
a Do 16 " " " N 15 W 16 " "

65.40 a B. Oak 30 " "



## T. 25 N., R. 3 W. 2. Mer. Ind. a

Chr. Chr.

80.00 set post cor. of sec. 33 & 34 from which  
 a B. Oak 28 in. diam bears N 73 E 23 lbs. dist 2  
 a W. Oak 24 " " " N 76 W 82 " "  
 Land a little rolling 2. rate, timber Oak & Hickory,  
 no Upland

## West on the S. Boundary of Sec. 33

3.00 a W. Oak 22 in. diam.

33.00 enter Prairie

40.00 set g. sec. post (no bearing trees)

49.18 set post on left bank of Tippecanoe R. from which  
 an Elm 15 in. diam bears N 54 E 38 lbs. dist 2

a Do 16 " " " N 22 W 92 " "

54.84 set post on right bank of Tippecanoe R. from which

a B. Oak 26 in. diam bears N 59 E 31 lbs. dist 2

a Do 22 " " " N 44 W 69 " "

80.00 set post cor. of sec. 32 & 33 from which

a Hickory 10 in. diam bears N 84 E 34 lbs. dist 2

a B. Oak 13 " " " N 60 W 36 " "

Land rolling 2. rate, barrens with some Oak  
 timber, Upl. Hazel & Oak

## West on the S. Boundary of Sec. 32

8.20 set post on right bank of Tippecanoe R. from which

a Willow 6 in. diam bears N 80 W 34 lbs. dist 2

a Do 5 " " " S 73 W 14 " "

13.75 set post on left bank of Tippecanoe R. from wh.

a B. Oak 35 in. diam bears S 45 E 36 lbs. dist 2

a B. Ash 6 " " " N 26 W 25 " "

31.90 set post on left bank of Tippecanoe R. from which

a Lym 6 in. diam bears N 41 E 7 lbs. dist 2

a B. Oak 10 " " " S 76 W 46 " "

36.75 set post on right bank of Tippecanoe R. from which

a W. Oak 16 in. diam bears N 38 W 54 lbs. dist 2

a Do 16 " " " N 4 E 52 " "

40.00 set g. sec. post from which

T. 25 N., R. 3 W. 2. Mer. Ind. a.  
Chr. Chr.

a Hickory 10 in. diameter N 86 E 46 lbs. dit. &  
a Do 10 " " " N 59 W 10 " "  
80.00 set post cor. of sec. 31 & 32 from which  
a W. Oak 24 in. diameter N 29 W 74 lbs. dit. &  
a Do 24 " " " N 15 E 72 " "  
Land the same as last noted

West on the S. Boundary of Sec. 31

2.70 a Stream 25 lbs. wide course SE  
13.22 a W. Oak 23 in. dia.  
40.00 set of sec. post from which  
a W. Oak 13 in. diameter N 74 E 41 lbs. dit. &  
a Hickory 10 " " " N 54 W 25 " "  
86.88 set post cor. of T. 24 & 25 N., R. 3 & 4 W. from which  
a Hickory 13 in. diameter N 34 W 62 lbs. dit. &  
a Do 15 " " " S 12 W 19 " "  
Land & timber the same as last noted,  
1828 by David Hillis, Dep. Surveyor.

East Boundary, Var. 6° 15' E.

Bearings at cor. of T. 24 & 25 N., R. 2 & 3 W  
a B. Ash 9 in. diameter N 25 W 40 lbs. dit. &  
a Sycamore 30 " " " S 71 E 62 " "  
North on the E. Boundary of Sec. 36  
8.50 set post on left bank of Wabash R. from which  
a Hackberry 11 in. diameter N 50 E 11 lbs. dit. &  
a Sycamore 60 " " " S 15 W 24 " "  
34.50 to right bank of Wabash River  
80.00 cor. of sec. 25 & 36 in A. Burnetts Reserve of  
1280 Acres - (Description of land &c. omitted)

North on the E. Boundary of Sec. 25

27.73 set post on right bank of Wabash R. at upper cor.  
of Burnetts Reservation, from which  
a Willow 6 in. diameter N 37 W 48 lbs. dit. &  
a Do 5 " " " North 65 " "  
39.00 set post on left bank of Wabash R. from which  
a Hackberry 8 in. diameter S 72 W 8 lbs. dit. &  
a W. Oak 8 in. diameter S 72 W 8 lbs. dit. &  
a Do 8 in. diameter S 72 W 8 lbs. dit. &  
a Do 8 in. diameter S 72 W 8 lbs. dit. &

T. 25 N., R. 3 W. 2. Mer. Ind.?

Ch. Ch.

40.00 set g. sec. post from which

a Hickory 9 in. dia. bears N10 E 10 lbs. dist 8

a Buckeye 10 " " " S10 E 18 " "

80.00 set post cor. of sec. 24 &amp; 25 from which

a Sugar 15 in. dia. bears N49 W 4 lbs. dist 8

an Elm 6 " " " N82 E 25 " "

Land rich &amp; good for farming

North on the E. Boundary of Sec. 24

32.89 a Hackberry 20 in. dia. on left bank of Wabash  
River. Surveyed in 1819 by

William Harris, D. S.

40.00 g. sec. cor. in River

51.80 set post on right bank of Wabash R. from which

a Spruce 15 in. dia. bears N28 W 32 lbs. dist 8

a Poplar 15 " " " S61 W 78 " "

80.00 set post cor. of sec. 13 &amp; 24 from which

a R. Oak 27 in. dia. bears S26 W 20 lbs. dist 8

a W. Oak 17 " " " N64 W 18 " "

Setting Spruce, timber Oak, Hickory, W. Oak  
& Sapaprap

North on the E. Boundary of Sec. 13

21.88 a R. Oak 20 in. dia.

38.60 a W. Oak 24 " "

40.00 set g. sec. post from which

a W. Oak 23 in. dia. bears S28 W 92 lbs. dist 8

a Spruce 22 " " " N27 W 26 " "

68.37 a B. Walnut 21 in. dia.

80.00 set post cor. of sec. 12 &amp; 13 from which

a Buckeye 16 in. dia. bears S40 W 55 lbs. dist 8

a Spruce 8 " " " N53 W 40 " "

Land level & T. rate, timber Walnut, Buckeye  
& Sugar; W. Sugar & Elm

North on the E. Boundary of Sec. 12

## T. 25 N., R. 37 W., S. Mer. Ind. a

Chs. Lks?

15.18 a W. Oak 15 in. dia.

30.26 a Do 21 " "

40.00 set of sec. post from which

a W. Oak 12 in. dia. bears S137W 60 lbs. dist. 8

a Do 15 " " " N35W 55 " "

44.50 a Stream 25 lbs. wide course SE

65.62 a W. Oak 24 in. dia.

80.00 set post cor. of sec. 1 &amp; 2 from which

a W. Oak 14 in. dia. bears S52W 20 lbs. dist. 8

a Do 18 " " " N54W 51 " "

Land a little rolling 2. rate, timber Oak & Hick-  
ory - Upr. Hazel & Oak

## North on the E. Boundary of Sec. 1

4.00 enter Barrens with scattering Oak timber

40.00 set of sec. post from which

a Jack Oak 14 in. dia. bears N12W 72 lbs. dist.

no other timber

61.11 a W. Oak 21 in. dia.

80.00 temp. Irons. corner

80.25 to post cor. of T. 25 &amp; 26 N., R. 37 &amp; 38 W. from which

a Bur Oak 40 in. dia. bears East 24 lbs. dist. 8

an Elm 24 " " " N42W 15 " "

Land level 2. rate, timber as last noted

## North Boundary. Var. 6 to 10' E

West on the S. Boundary of Sec. 36, T. 26 N., R. 37 W

40.00 set of sec. post from which

a Bur Oak 5 in. dia. bears N75E 9 lbs. dist. 8

a R. Oak 6 " " " N32W 18 " "

47.48 a Hickory 18 " "

72.40 a Stream 14 ft. wide course SE

73.00 enter Prairie

80.00 set post cor. of Sec. 35 &amp; 36 from which

a W. Oak 27 in. dia. bears S63E 43 lbs. dist. 8

a Bur Oak 30 " " " S73E 47 lbs. "



## T. 25 N., R. 37 W. 2. Mer. Ind. a

Ch. Lb.

No trees on the N. side of the line  
Land level & 2. rate, thinly timbered with Oak  
& Hickory, no Upr.

West on the S. Boundary of Sec. 35, T. 26 N., R. 37 W  
40.00 set of sec. post in Prairie  
(no bearing trees)

58.22 a Bur Oak 36 in. dia.

61.50 leave Prairie

75.25 a W. Oak 23 in. dia.

80.00 set post cor. of Sec. 34 & 35 from which  
a Hickory 18 in. dia. bears N 65 E 80 M. dist. 8  
a W. Oak 22 " " " N 57 W 22 " "  
Land level & rich, T. 3/4 mile dry & wet Prairie,  
the last 1/4 mile thinly timbered with Oak  
no Upr.

West on the S. Boundary of Sec. 34, T. 26 N., R. 37 W  
22.00 a Hickory 18 in. dia.

40.00 set of sec. post from which

a B. Oak 20 in. dia. bears N 34 E 13 M. dist. 8

a W. Oak 19 " " " N 29 W 42 " "

67.05 a B. Oak 17 " "

80.00 set post cor. of Sec. 33 & 34 from which

a W. Oak 14 in. dia. bears N 24 E 39 M. dist. 8

a Do 15 " " " N 16 W 35 " "

Land rolling & 2. rate, timbered Oak & Hickory  
no Upr.

West on the S. Boundary of Sec. 33, T. 26 N., R. 37 W

9.74 set post on left bank of Tippucanoe R. from which

a Gum 30 in. dia. bears S 44 E 21 M. dist. 8

a B. Oak 5 " " " N 38 E 34 " "

13.50 set post on right bank of Tippucanoe R. from which

a Sycamore 5 in. dia. bears N 26 E 45 M. dist. 8

a Plumbtree 4 " " " South 10 " "

T. 25 N., R. 34 W. 2 Mer. Ind. a  
Ch. M.

The port is opposite a small Island

40.00 set of sec. port from which

a B. Oak 10 in. dia bears S 10 E 230 lbs. dist 8

a W. Oak 30 " " " S 67 W 225 " "

72.40 a Dr 14 " "

80.00 set port cor. of sec. 32 & 33 from which

a W. Oak 30 in. dia bears N 74 W 34 lbs. dist 8

a B. Oak 15 " " " S 81 W 44 " "

Land a little rolling 2<sup>d</sup> rate, some scattering  
Oak & Hickory, no Upr.

West on the S. Boundary of Sec. 32

26.84 a B. Oak 18 in. dia.

40.00 set of sec. port from which

a W. Oak 19 in. dia bears N 26 E 88 lbs. dist 8

a Dr 21 " " " N 68 W 58 " "

44.00 a Stream 50 lbs. wide course S E

50.50 enter Prairie

80.00 set port cor. of sec. 31 & 32 and raised a Mound  
(no Bearing trees) Land level & rich

West on the S. Boundary of Sec. 31, T. 26 N., R. 34 W

40.00 set of sec. port in Prairie (no Bearing trees)

79.90 Enter W. Boundary 473 lbs. S. of port -

set port at intersection cor. of T. 25 & 26 N.,

R. 3 & 4 W. and raised a Mound

(no Bearing trees)

Land level & 1<sup>st</sup> rate Prairie

West Boundary. Var. 67 30' E

North on the E. Boundary of Sec. 30, T. 25 N., R. 4 W

14.75 a W. Oak 18 in. dia.

31.55 a Stream 20 lbs. wide course E

40.00 set of sec. port from which

a W. Oak 21 in. dia bears S 36 W 96 lbs. dist 8

a B. Oak 24 " " " N 54 W 194 " "



## T. 25 N., R. 37 W. 2. Mer. Ind. a.

Ch. Lk.

55.00 a Stream 25 lbs. wide course NE

76.02 a Hickory 14 in. dia.

80.00 set post cor. of sec. 25 & 36 from which  
 a Hickory 12 in. dia. bears S 67° W 70 lbs. dist. 28  
 a Spr 15 " " " N 24° W 29 " " "  
 (Description of land &c. omitted)

North on the E. Boundary of Sec. 25, T. 25 N., R. 4 W.

23.63 a B. Oak 21 in. dia.

25.00 enter a Prairie

40.00 set of sec. post in Prairie (no Bearing trees)

78.25 leave Prairie

80.00 set post cor. of sec. 24 & 25 from which  
 a Hickory 18 in. dia. bears S 57° W 142 lbs. dist. 28  
 a W. Oak 24 " " " N 24° W 416 " " "  
 Land level 2. rate, thinly timbered with  
 Hickory & Oak, no veg.

North on the E. Boundary of Sec. 24, T. 25 N., R. 4 W.

20.27 a W. Oak 21 in. dia.

20.50 enter Prairie

40.00 set of sec. post (no Bearing trees)

60.00 leave the Prairie

65.55 a B. Oak 24 in. dia.

80.00 set post cor. of sec. 13 & 24 from which  
 a B. Oak 26 in. dia. bears S 32° W 24 lbs. dist. 28  
 a W. Oak 18 " " " N 43° W 92 " " "  
 Land level 2. rate, Prairie wet, some  
 scattering Oak timber

North on the E. Boundary of Sec. 13, T. 25 N., R. 4 W.

26.96 a B. Oak 15 in. dia.

40.00 set of sec. post from which

a Hickory 10 in. dia. bears N 39° W 101 lbs. dist. 28  
 a B. Oak 27 " " " N 60° W 28 " " "

56.20 a Spr 18 " "

T. 25 N., R. 3 W. 2<sup>d</sup>. Mer. Ind. a.  
Chr. Chr.

74.00 enter a Prairie

80.00 leave do and set post cor. of sec. 12 & 13 from  
which a B. Oak 20 in. dia. bears S 60 E 28 W. dist 28

a Spr 18 " " " N 33 E 38 " "

Land the same as before noted

North on the E. Boundary of Sec. 12, T. 25 N., R. 3 W.  
25.07 a W. Oak 20 in. dia.

27.00 enter Prairie

40.00 set of sec. post in Prairie (no Bearing trees)

80.00 set post cor. of sec. 12 & 13 from which  
a Hickory 24 in. dia. bears S 29 W 55 W. dist.

no other timber

Prairie dry & T. 1<sup>st</sup> rate

North on the E. Boundary of Sec. 1, T. 25 N., R. 3 W.

40.00 set of sec. post in Prairie (no Bearing trees)

80.00 set temp. Township corner.

(Description of land &c. omitted)

May 8. 1828 Surveyed by

David Hillis

Dep. Surveyor

### Subdivision.

West between Sec. 24 & 25, T. 25 N., R. 3 W.

2.35 a Sugar 18 in. dia.

8.45 set post on left bank of Wabash R. from which

a Sugar 20 in. dia. bears S 11 E 9 W. dist 28

a Buckeye 16 " " " N 21 W 61 " "

Meanders of Wabash River. Commencing at post  
in E. Boundary of Sec. 25, thence left bank up stream

| Course | Dist<br>Chr. Chr. | Remarks    |
|--------|-------------------|------------|
| N 38 W | 18.75             | In Sec. 25 |
| N 19 W | 15.40             |            |

T. 25 N., R. 3 W. 2<sup>d</sup>. Mer. Ind. a.

| Comer Elev. &c.                               | Remarks                              |
|---|--------------------------------------|
| N16 $\frac{1}{2}$ E 11.50                     | to post in line between Sec. 24 & 25 |
| N13E 23.50                                    | In Sec. 24                           |
| N27E 3.50                                     |                                      |
| N12 $\frac{3}{4}$ E 7.17                      | to post in E. Boundary.              |
| Var. 5 <sup>th</sup> 50' E. September 7, 1821 |                                      |
| Surveyed by Henry Bryan Dep. Sur.             |                                      |

## North between Sec. 34 &amp; 35

20.00 enter a Prairie

29.00 leave "

30.38 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a B. Oak 30 in. dia bears S19 $\frac{1}{2}$ W 91 $\frac{1}{2}$  lbs. dist. 8a Do 30 " " " N25 $\frac{1}{2}$ W 69 " "

63.35 a W. Oak 30 " "

80.00 set post cor. of sec. 26, 27, 34 &amp; 35 from which

a Hickory 20 in. dia bears S4 $\frac{1}{2}$ W 83 $\frac{1}{2}$  lbs. dist. 8a S. Oak 30 " " " N24 $\frac{1}{2}$ W 31 " "Land level, 1 $\frac{1}{2}$  mile 1<sup>st</sup> rate, 2 $\frac{1}{2}$  mile 2<sup>d</sup> rate  
timber Maple, Elm, Oak & Hickory. Open woods

## East on Random between Sec. 26 &amp; 35

40.00 set temp. g. sec. post

50.36 a Spring branch 10 lbs. wide corner SE

79.54 Intersect N & S. line 18 $\frac{1}{2}$  lbs. N. of post -Land rolling 2<sup>d</sup> rate, timber Oak & Hickory, open woods

## West Connected between Sec. 26 &amp; 35

39.77 set g. sec. post at area. dist. from which

a W. Oak 20 in. dia bears N28E 37 $\frac{1}{2}$  lbs. dist. 8a Do 30 " " " S76 $\frac{1}{2}$ W 60 " "

79.54 to sec. cor.

## North between Sec. 26 &amp; 27

T. 25 N., R. 3 W., 2<sup>d</sup> Mer. Ind<sup>a</sup>.Ch<sup>a</sup>. 2<sup>d</sup>.

35.50 a W. Oak 30 in. dia.

40.00 set g. sec. post from which

a W. Oak 30 in. dia. bears S 12 W 20 lbs. dist. 8

a Do 18 " " " N 52 W 50 " "

50.00 enter Barrens

80.00 set post cor. of sec. 22, 23, 26 &amp; 27, no timber, raised a mound.

Land level 2<sup>d</sup> rate with scattering Oak

East on Random between Sec. 23 &amp; 26

40.00 set temp. g. sec. post

79.77 Intersect N &amp; S. line 159 lbs. N. of post -

Land rolling 2<sup>d</sup> rate barrens

West Corrected between Sec. 23 &amp; 26

39.88<sup>1</sup>/<sub>2</sub> set g. sec. post at aver. dist. from which

a Hickory 4 in. dia. bears N 32 E 108 lbs. dist. 8

a Do 4 " " " S 85 W 78 " "

79.77 to sec. cor.

North between Sec. 22 &amp; 23

27.00 leave Barrens

40.00 set g. sec. post from which

a Jack Oak 8 in. dia. bears S 5 E 28 lbs. dist. 8

a Do 10 " " " N 15 E 32 " "

50.15 a Buell Oak 36 " "

80.00 set post cor. of sec. 14, 15, 22 &amp; 23 from which

a B. Jack 20 in. dia. bears S 20 W 77 lbs. dist. 8

a Do 20 " " " N 18 W 120 " "

Land &amp; timber the same as before noted

East on Random between Sec. 14 &amp; 23

40.00 set temp. g. sec. post

79.88 Intersect N &amp; S. line 200 lbs. N. of post -

Land 1<sup>1</sup>/<sub>2</sub> mile as last noted, 2<sup>1</sup>/<sub>2</sub> mile level 2<sup>d</sup> rate, timber Oak & Hickory, open woods

T. 25 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

Chr. Chr.

West Connected between Sec. 13 &amp; 24

39.97 set of sec. port at aver. dist. from which  
 a W. Oak 20 in. diameter N 65 E 27 lbs. dist. 8  
 a Do 24 " " " S 61 W 33 " "

79.94 set port cor. of sec. 13, 14, 23 & 24 from which  
 a Span. Oak 30 in. diameter S 19 W 70 lbs. dist. 8  
 a Do 24 " " " N 37 W 95 " "

West Connected between Sec. 14 &amp; 23

39.97 set of sec. port at aver. dist. from which  
 a Hickory 4 in. diameter South 20 lbs. dist. 8  
 a Do 8 " " " S 49 W 66 " "

79.94 to sec. cor.

South between Sec. 23 &amp; 24

37.21 a W. Oak 30 in. dia.

40.00 set of sec. port from which

a W. Oak 18 in. diameter N 41 W 20 lbs. dist. 8  
 a S. Oak 28 " " " S 19 E 54 " "

46.32 a Do 28 " "

48.00 enter Barrens

80.00 set port cor. of sec. 23, 24, 25 & 26 from which  
 a Hickory 7 in. diameter North 18 lbs. dist. 8  
 (no other bearing tree)  
 Sand level & D. rate, timber Oak

East between Sec. 24 &amp; 25

20.00 leave Barrens

26.09 a Hickory 30 in. dia.

40.00 set of sec. port from which

a Hickory 12 in. diameter S 68 W 28 lbs. dist. 8  
 a W. Oak 40 " " " N 17 W 25 " "

57.81 a Branch 10 lbs. wide corner S E

63.00 set port on right bank of Wabash R. from which  
 a W. Walnut 2 in. diameter East 4 lbs. dist. 8  
 a Hickory 9 " " " N 9 W 12 " "



T. 25 N., R. 3 W. 2. Mer. Ind. a.  
Chr. Sh.

First fertile level Barrens with some scattering  
Oak & Hickory, I. rate - 2. fertile broken I. rate,  
timber Buckeye & Hackberry; Wgs. Spruce

South between Sec. 25 & 26

40.00 set of sec. port from which

a W. Oak 36 in. diameter N 89 W 67 lbs. dist. 2

a Do 24 " " " S 26 E 100 " "

60.44 a Do 24 " "

80.00 set port cor. of Sec. 25, 26, 35 & 36 from which

a W. Oak 24 in. diameter N 42 E 110 lbs. dist. 2

a Do 20 " " " S 63 W 116 " "

Land & the same as last noted

South between Sec. 35 & 36

21.24 Entered Burnett's Reserve, set port from which

a Bur Oak 20 in. diameter S 24 W 35 lbs. dist. 2

a Do 30 " " " N 85 E 34 " "

Land level I. rate

East between Sec. 25 & 36

10.24 Entered Burnett's Reserve 53.14 Chr. from the

N.E. cor. of same, set port from which

a W. Oak 18 in. diameter N 19 - 103 lbs. dist. 2

a Do 18 " " " S 41 E 64 " "

North between Sec. 13 & 14

27.46 a W. Oak 24 in. dia.

40.00 set of sec. port from which

a Hickory 20 in. diameter S 9 W 66 lbs. dist. 2

a Do 18 " " " N 55 W 66 " "

66.58 a W. Oak 30 " "

80.00 set port cor. of Sec. 11, 12, 13 & 14 from which

a Jack Oak 16 in. diameter S 46 W 65 lbs. dist. 2

a W. Oak 24 " " " N 1 E 167 " "

Land level I. rate, thinly timbered with Oak &



T. 25 N., R. 3 W. E. Mer. Ind.  
 Chs. Sh.,  
 Hickory

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. port

78.82 Intersect E. Boundary 100 Yds. N. of port -  
 Land level 1. Rate, timber Sugar, Elm, Walnut  
 & Oak, Upr. Hazel &c.

West Corrected between Sec. 12 & 13

39.91 set g. sec. port at aver. dist. from which  
 a Hickory 15 in. discharges N 29 W 12 Yds. dist. &  
 a Do 9 " " " S 12 E 32 " "

78.82 to sec. cor.

North between Sec. 11 & 12

33.17 enter an Oak grove, a W. Oak 28 in. dia.

40.00 set g. sec. port from which

a W. Oak 20 in. discharges S 18 W 47 Yds. dist. &  
 a Do 24 " " " N 47 E 45 " "

55.38 a Do 24 " "

65.00 enter Barrens

80.00 set port cor. of Sec. 1, 2, 11 & 12 from which

a W. Oak 30 in. discharges N 77 E 300 Yds. dist. &  
 a Hickory 16 " " " S 86 E 339 " "  
 Land level 1. Rate, timber Oak, no Upr.

East on Random between Sec. 1 & 12

40.00 set g. sec. port (temp.)

78.08 Intersect E. Boundary 50 Yds. N. of port -  
 Land same as last noted

West Corrected between Sec. 1 & 12

39.34 set g. sec. port at aver. dist. from which

a Jack Oak 8 in. discharges S 72 W 127 Yds. dist.  
 no other tree

78.68 to sec. cor.

## T. 25 N., R. 37 W. 2. Mer. Ind.?

Chs. Ebs.

North between Sec. 1 &amp; 2

40.00 set of sec. post from which

a J. Oak 14 in. dia. bears N 49 E 165 yds. dist.

(no other Bearing tree) in the Barrens &amp;

64.00 enter Oak grove

64.85 a W. Oak 36 in. dia.

80.60 Intersection N. Boundary 300 yds. E. of post -

set post at intersection cor. of sec. 1 &amp; 2 from which

a Red Oak 30 in. dia. bears S 42 E 167 yds. dist. &amp;

a W. Oak 32 " " " S 29 E 246 " "

Land &amp; timber same as before noted

North between Sec. 14 &amp; 15

40.00 set of sec. post from which

a Hickory 16 in. dia. bears S 20 E 25 yds. dist. &amp;

a Do 18 " " " S 72 W 94 " "

80.00 set post cor. of sec. 10, 11, 14 &amp; 15 from which

a Hickory 12 in. dia. bears N 62 W 121 yds. dist. &amp;

a Do 15 " " " N 51 E 137 " "

Land level 2. rate, Barrens with scattering  
Oak & Hickory, no Upr.

East on Random between Sec. 11 &amp; 14

40.00 set temp. of sec. post

80.64 Intersection N.E. line 110 yds. N. of post -

Land &amp; the same as before noted

West Corrected between Sec. 11 &amp; 14

40.32 set of sec. post at cor. dist. from which

a Hickory 14 in. dia. bears S 77 W 39 yds. dist. &amp;

a W. Oak 24 " " " N 15 E 97 " "

80.64 to sec. cor.

North between Sec. 10 &amp; 11

21.00 enter timbered land

23.17 a W. Oak 24 in. dia.

## T. 25 N., R. 3 W. 2. Mer. Ind. a

Chr. Lhp.

40.00 set g. sec. post from which  
 a Hickory 13 in. dia. bears S 45° W 21 lbs. dist. 8  
 a W. Oak 26 " " " N 69° W 67 " "

76.27 a Dr 25 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which  
 a W. Oak 44 in. dia. bears N 76° W 26 lbs. dist. 8  
 a Dr 24 " " " N 10° E 18 " "

Land level 2<sup>d</sup> rate, timber Oaks Hickory Uls.  
 Hickory & Sapagrap September 29, 1828

East in Paudon between Sec. 2 & 11

15.00 enter wet Prairie

40.00 set trap. g. sec. post

58.00 leave Prairie

79.80 Intersect N. S. line 97 lbs. N. of post -  
 Land & timber as before noted

West Connected between Sec. 2 & 11

39.90 set g. sec. post at aver. dist. in Prairie  
 (no Bearing trees)

79.80 to sec. cor.

North between Sec. 2 & 3

26.62 a W. Oak 19 in. dia.

40.00 set g. sec. post from which  
 a W. Oak 34 in. dia. bears S 89° W 174 lbs. dist. 8  
 a Hickory 16 " " " N 44° E 141 " "

44.00 enter Prairie

64.00 leave "

64.85 a Hickory 20 in. dia.

80.00 Intersect N. Boundary 400 lbs. E. of post -  
 set post at intersection cor. of sec. 2 & 3 from which  
 a W. Oak 26 in. dia. bears S 35° E 26 lbs. dist. 8  
 a Dr 24 " " " N 42° E 31 " "  
 Land level 2<sup>d</sup> rate, timber Oaks, no Uls.

T. 25 N., R. 3 W. 2. Mer. Ind. Co.  
Chs. Chs.

North between Sec. 33 & 34

26.22 a Hickory 15 in. dia.

40.00 set of sec. post from which

a W. Oak 20 in. dia bears S 90° W 50 lbs. dist. 3

a B. Oak 20 " " " N 18° W 47 " "

66.33 a W. Oak 20 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a W. Oak 18 in. dia bears S 60° W 60 lbs. dist. 3

a Elm 20 " " " N 57° E 42 " "

Land level 2. rate, timber Oak & Hickory  
no Underbrush

East on Randon between Sec. 27 & 34

26.22 a Hickory 15 in. dia.

40.00 set temp. of sec. post

79.72 Intersect N. & E. line 100 lbs. N. of post -

Land level 2. rate, timber Oak, Hickory, no Upr.

West Corner between Sec. 27 & 34

39.86 set of sec. post at aver. dists from which

a W. Oak 30 in. dia bears N 9° E 94 lbs. dist. 3

a Hickory 9 " " " S 11° W 67 " "

79.72 to sec. cor. September 30, 1828

North between Sec. 27 & 28

30.85 a E. Oak 30 in. dia.

40.00 set of sec. post from which

an Elm 15 in. dia bears S 74° W 21 lbs. dist. 3

a B. Oak 10 " " " N 7° W 65 " "

62.33 a Hickory 24 " "

80.00 set post cor. of sec. 27, 28, 27 & 28 from which

a W. Oak 18 in. dia bears S 75° W 256 lbs. dist. 3

a Hickory 15 " " " N 13° W 331 " "

Land level 2. rate, timber Oak & Hickory  
no Upr.



## T. 25 N., R. 3 W., S. Mer. Ind. a

Chs. Lk.

East on Random between Sec. 22 &amp; 27

- 1.50 enter Prairie  
 12.00 leave " & enter a grove of Oak  
 30.00 enter Barrens  
 40.00 set temp. g. sec. post  
 79.86 Intersect N. & S. line 100 Yds. N. of post -  
 Land level 2. rate
- 

West Connected between Sec. 22 &amp; 27

- 39.93 set g. sec. post at aver. dist. from which no  
 (bearing trees) in the Barrens  
 79.86 to sec. cr.
- 

North between Sec. 21 &amp; 22

- 13.22 a Bur Oak 28 in. dia.  
 20.00 leave Barrens  
 30.58 set post on left bank of Tippecanoe R. from which  
 a W. Oak 15 in. dia. bears S 78 E 8 Yds. dist. &  
 a Sugar 20 " " " S 29 W 22 " "  
 34.50 set post on right bank of Tippecanoe R. from which  
 a Plum. 4 in. dia. bears N 17 W 7 Yds. dist. &  
 a S. Oak 5 " " " N 25 E 37 " "  
 40.00 set g. sec. post from which  
 a W. Oak 15 in. dia. bears S 32 W 43 Yds. dist. &  
 a Lr 30 " " " S 86 W 43 " "  
 69.90 set post on right bank of Tippecanoe R. from which  
 a Buckeye 10 in. dia. bears S 40 W 7 Yds. dist. &  
 an Ironwood 4 " " " S 46 E 9 " "  
 73.60 set post on left bank of Tip. R. from which  
 a Willow 7 in. dia. bears East 18 Yds. dist. &  
 a Lr 8 " " " N 78 E 26 " "  
 80.00 set post cr. of sec. 15, 16, 21 & 22 from which  
 a W. Oak 20 in. dia. bears N 9 E 53 Yds. dist. &  
 a Lr 24 " " " S 36 W 63 " "  
 Land & timber same as before noted
-

## T. 25 N., R. 37 W. 2. Mer. Ind. a.

Chs. Lhs.

East on Random between Sec. 15 &amp; 22

11.75 at a bend of the river, the Random line ran into the water but did not cross it, it was too deep to measure. Offset 5 Chs. North

23.04 came back to Random line &amp; over bend

40.00 set temp. g. sec. port

79.90 Intersect N. &amp; E. line 100 hrs. N. of port -

Land level 2. rate, Barrens &amp; groves of timber, Oak &amp; Hickory

West Connected between Sec. 15 &amp; 22

56.86 set port on left bank of Tippecanoe R. from which

a Cottonwood 10 in. diameter S 59 E 29 hrs. dist. 8

a Ls 6 " " " S 75 W 13 " "

68.15 over bend &amp; set port on left bank of Tip. R. from which

a W. Oak 20 in. diameter N 49 W 130 hrs. dist. 8

a Ls 30 " " " N 65 W 129 " "

39.95 set g. sec. port at over. dist. from which

a W. Oak 20 in. diameter S 76 W 72 hrs. dist. 8

a Ls 21 " " " N 61 E 42 " "

79.90 to sec. cor.

North between Sec. 15 &amp; 16

18.00 a B. Oak 18 in. dia.

38.45 set port on left bank of Tippecanoe R. from which

a Cedar 15 in. diameter S 64 W 22 hrs. dist. 8

a Ls 16 " " " S 67 E 31 " "

40.00 g. sec. cor. in Tippecanoe River.

41.75 to an Island

43.50 over "

47.00 set port on right bank of Tip. R. from which

a Willow 6 in. diameter N 77 W 3 hrs. dist. 8

a Ls 4 " " " S 33 E 7 " "

66.30 set port on right bank of Tip. R. from which

a B. Oak 14 in. diameter S 39 W 27 hrs. dist. 8

a W. Oak 10 " " " N 52 E 13 " "



## T. 25 N., R. 3 W. 2. Mer. Ind.?

Chm. Sp.

71.55 set post on left bank of Tip. R. from which  
a Sycamore 14 in. diameter S 29 W 68 ft. dist. 8  
a Willow 4 " " " N 76 E 48 " "

72.50 enter Barrens

80.00 set post cor. of sec. 9, 10, 15 & 16 on wet spot of ground  
in Barrens (No Bearing trees)  
Land 2. rate, with scattering Oak timber, no W. sp.

East on Random between Sec. 10 &amp; 15

6.75 to left bank of Tippecanoe River  
12.36 over the river

40.00 set temp. gr. sec. post

40.00 to right bank of Tippecanoe River

46.00 over the river

53.75 a Spring branch 8 ft. wide course S W

80.00 Entered N. S. line 95 ft. N. of post -

Land level except the bluffs of Tippecanoe  
River, & 2. rate, with scattering Oaks Hick-  
ory, open woods

West Connected between Sec. 10 &amp; 15

33.80 set post on left bank of Tip. R. from which  
a Willow 8 in. diameter S 42 W 18 ft. dist. 8  
a Do 8 " " " N 57 W 9 " "

39.20 set post on right bank of Tip. R. from which  
a B. Oak 50 in. diameter S 83 E 70 ft. dist. 8  
a Do 21 " " " S 88 E 62 " "

40.00 set gr. sec. post at aver. dist. in Barrens  
no trees for Bearings

67.70 set post on right bank of Tip. R.  
no Bearing trees

73.31 set post on left bank of Tip. R. from which  
a Sycamore 10 in. diameter N 57 W 24 ft. dist. 8  
a W. Oak 12 " " " S 8 E 90 " "

80.00 to sec. cor.

## T. 25 N., R. 3 W., S. 2. Mer. Ind. a.

Elev. 841.

North between Sec. 3 &amp; 10

37.00 leave Barrens

40.00 sit g. sec. post from which

a Hickory 18 in. diameter S 42 W 24 lbs. dist. 8

a Do 18 " " " N 8 W 18 " "

62.52 a W. Oak 20 " "

70.00 enter S. Prairie

71.88 a Stream 12 lbs. wide course N W

77.50 leave Prairie

80.00 sit post cor. of sec. 3, 4, 9 &amp; 10 from which

a W. Oak 20 in. diameter S 21 W 40 lbs. dist. 8

a Hickory 8 " " " N 15 E 21 " "

Land level 2. rate, timber Oak & Hickory, Under-  
brush same October 1. 1828

East on Random between Sec. 3 &amp; 10

25.00 leave the Barrens

40.00 sit temp. g. sec. post

80.50 Intersect N. G. line 110 lbs. N of post -

Land level 2. rate, timber Oak, Elm &amp; Hickory

Wgs. Hazel &amp; Hickory

West Connecticut between Sec. 3 &amp; 10

40.25 sit g. sec. post at corn. dist. from which

a Span. Oak 14 in. diameter S 77 E 16 lbs. dist. 8

an Elm 5 " " " N 81 W 29 " "

80.50 to sec. cor.

North between Sec. 3 &amp; 4

16.32 a W. Oak 26 in. dia.

29.45 sit post on left bank of Tip. R. from which

a B. Oak 12 in. diameter N 6 E 22 lbs. dist. 8

a Do 18 " " " S 40 E 26 " "

40.00 g. sec. cor. in river

42.20 over bend &amp; sit post on left bank of Tip. R. from which

a Cedar 20 in. diameter N 40 W 42 lbs. dist. 8

94

T. 25 N., R. 3 W. 2. Mer. Ind. 4

Ch. 24

a Cedar 20 in. dis. bears S 40 E 21 Mo. dist.

61.87 a W. Oak 20 " "

79.00 Intersection N. Boundary 367 Mo. E. of post -

set post at intersection cu. of sec. 3 & 4 from which

a Hickory 9 in. dis. bears West 26 Mo. dist. 8

a Spr 4 " " " N 37 E 45 " "

Land a little rolling 2<sup>nd</sup> rate, timber Oak & Hick-  
ory, Upr. none

North between Sec. 32 & 33

33.00 bare Barrens

35.14 a W. Oak 22 in. dis.

46.00 set of sec. post from which

a W. Oak 17 in. dis. bears S 26 E 82 Mo. dist. 8

a Spr 27 " " " N 32 W 82 " "

56.32 a Spr 18 " "

80.00 set post cu. of sec. 28, 29, 32 & 33 from which

a B. Oak 30 in. dis. bears S 39 E 72 Mo. dist. 8

a Hickory 5 " " " N 10 W 66 " "

Land broken 2<sup>nd</sup> rate, timber Oak & Hickory  
Upr. Hazel & Sassafras

East on Random between Sec. 28 & 33

16.00 to right bank of Tippecanoe River

20.09 lower end of an Island

21.37 to 2<sup>nd</sup> channel

22.00 upper end of an Island

26.75 to 3<sup>rd</sup> channel

29.00 to left bank of Tip. R.

40.00 set temp. g. sec. post

79.80 Intersection N. & S. line 70 Mo. N. of post -

Land broken 2<sup>nd</sup> rate, timber Oak & Hickory,  
Upr. none

West Connected between Sec. 28 & 33

39.90 set g. sec. post at av. dist. from which

T. 25 N., R. 3 W. 2. Mer. Ind. a.  
Chs. Ekr.

- a Hickory 15 in. diameter S49 E 30<sup>th</sup>. dist. 3  
a Do 15 " " " N42 W 47 " "  
50.80 set post on left bank of Tip. R. from which  
a Span. Oak 22 in. diameter N18 E 13<sup>th</sup>. dist. 3  
a Do 20 " " " S51 E 27 " "  
63.80 set post on right bank of Tip. R. from which  
a Jack Oak 5 in. diameter S59 E 17<sup>th</sup>. dist. 3  
a Hickory 4 " " " N18 E 38 " "  
79.80 to sec. cor.

North between Sec. 28 & 29

- 39.13 a B. Oak 20 in. dia.  
40.00 set of sec. post from which  
a B. Oak 27 in. diameter S30 E 37<sup>th</sup>. dist. 3  
a Do 28 " " " N30 W 16 " "  
52.15 a Spring branch 10<sup>th</sup>. wide course E.  
58.00 set post on right bank of Tip. R. from which  
a Sycamore 3 in. diameter S76 W 62<sup>th</sup>. dist. 3  
a Do 2 " " " S74 W 63 " "  
72.25 leave Tippecanoe R. the line running in the  
river; 14 Chs. 25<sup>th</sup>. & coming out on the same  
side in Prairie, set post. (no Bearing trees)  
80.00 set post cor. of sec. 20, 21, 28 & 29 & raised a mound  
on the right bank of Tippecanoe  
Land a little rolling 2<sup>nd</sup> rate, timber Oak,  
Prairie 1<sup>st</sup> rate

East or Random between Sec. 21 & 28

- 5.25 set temp. post on <sup>Left</sup> bank of Tippecanoe R.  
40.00 set temp. of sec. post  
79.75 Intersect N & S. line 82<sup>th</sup>. N. of post -  
Land 2<sup>nd</sup> rate, thinly timbered with Oaks & Hickory  
no Ugrs.

West Connected between Sec. 21 & 28

- 39.87 1/2 set of sec. post at aver. dist. from which



T. 25 N., R. 3 W. E. Mer. Ind<sup>a</sup>.  
 Ch. Ch.

a Hickory 22 in. diam. N 31 E 100 lbs. dist. 8  
 a W. Oak 21 " " " S 3 E 80 " "  
 74.00 set post on left bank of Tip. R. from which  
 a W. Oak 20 in. diam. S 40 - 20 lbs. dist. 8  
 a Do 19 " " " N 17 W 23 " "  
 79.75 to sec. cor.

North between Sec. 20 & 21

6.83 a Stream 44 lbs. wide corner S E  
 18.00 to right bank of Tippecanoe R. & along it  
 25.00 leave River bank  
 36.36 a J. Oak 10 in. dia.  
 40.00 set q. sec. post from which  
 a Hickory 4 in. diam. S 3 E 36 lbs. dist. 8  
 a B. Oak 8 " " " N 4 E 46 " "  
 October 2, 1828

72.96 a Hickory 15 in. dia.

80.00 set post cor. of sec. 10, 17, 20 & 21 from which  
 a Hickory 17 in. diam. S 62 W 80 lbs. dist. 8  
 a Do 18 " " " N 9 W 31 " "  
 Land a little rolling &irate, Barrens with  
 scattering Oak & Hickory. Open woods

East on Random between Sec. 10 & 21

18.50 a Stream 20 lbs. wide corner S E  
 38.00 to right bank of Tippecanoe River  
 40.00 temp. q. sec. cor. in River  
 45.50 to left bank of Tip. River  
 80.00 Intersect N & E. line 95 lbs. N. of post -  
 Land a little broken &irate, timber Oak  
 W. Sap. & Hickory

West Connected between Sec. 10 & 21

34.40 set post in left bank of Tip. R. from which  
 a B. Oak 20 in. diam. N 36 E 4 lbs. dist. 8  
 no other Bearing tree

## T. 25 N., R. 3 W. 2. Mer. Ind.

Ch. Lk.

40.00 gr. sec. cr. in river

41.90 set post on right bank of Tip. R. from which

a Gum 24 in. diam. N 15 W 19 lbs. dwt. 2

a Sh 20 " " " S 72 E 15 " "

80.00 to sec. cr.

North between Sec. 16 &amp; 17

25.55 an Ironwood 4 in. diam.

40.00 set gr. sec. post from which

a Hickory 4 in. diam. S 69 E 84 lbs. dwt. 2

a Sh 4 " " " N 56 E 73 " "

70.00 a Sh 12 " "

80.00 set post cr. of sec. 8, 9, 16 &amp; 17 from which

a W. Oak 24 in. diam. S 11 E 102 lbs. dwt. 2

a Sh 21 " " " N 39 W 88 " "

Land level barrens 2. rate with some scattering  
ing Oak & Hickory, Upr. Hazel & Oak

East on Random between Sec. 9 &amp; 10

38.25 to right bank of Tippecanoe River

40.00 temp. gr. sec. cr. in River

43.25 to left bank of Tip. R.

80.00 Intersect N. H. line 32 lbs. N. of post -

Land rolling 2. rate, scattering Oak & Hickory  
Uprush Hazel & Oak

West Connected between Sec. 9 &amp; 10

36.60 set post on left bank of Tip. R. from which

an Elm 24 in. diam. N 40 W 15 lbs. dwt. 2

a Sycamore 8 " " " S 12 E 47 " "

40.00 gr. sec. cr. in river

41.85 set post on right bank of Tip. R. from which

a Gum 9 in. diam. N 69 E 8 lbs. dwt. 2

a Sh 9 " " " S 81 E 10 " "

80.00 to sec. cr.



T. 25 N., R. 3 W. S. Mer. Ind. a  
Chn. 241

North between Sec. 8 & 9

40.00 set of sec. port from which  
a B. Oak 20 in. diameter S 62° - 100 Yds. dist. 3  
no other Bearing tree

49.84 a S. Oak 10 in. dia.

86.00 set port on. of sec. 4, 5, 8 & 9 from which  
a W. Oak 36 in. diameter South 21 Yds. dist. 3  
a B. Oak 36 " " " N 42° W 92 " "  
Land level Barrens with a few scattering trees  
Ubush Hazel

East on Random between Sec. 4 & 9

36.00 to right bank of Tippecanoe River

40.00 temp. of sec. cor. in river

42.00 to left bank of Tip. R.

80.14 Intersect N & S. line 40 Yds. N. of port -

Land level S. rate, with some scattering Oak,  
& Hickory; Upr. Oak & Hazel

West Corrected between Sec. 4 & 9

37.90 set port on left bank of Tip. R. from which  
a Span. Oak 14 in. diameter N 51° W 11 Yds. dist. 3  
a Do 16 " " " S 45° E 12 " "

40.07 set of sec. in the river

43.90 set port on right bank of Tip. River  
No Bearing trees

80.14 to sec. cor.

North between Sec. 4 & 5

20.00 a Stream 30 Yds. wide course E

32.22 a Bur Oak 24 in. dia.

40.00 set of sec. port from which  
a Hickory 10 in. diameter S 40° - 80 Yds. dist. 3  
a W. Oak 27 " " " N 40° E 110 " "

62.82 a Bur Oak 28 " "

78.20 Intersect N. Boundary 300 Yds. E. of port -

T. 25 N., R. 3 W. 2. Mer. Ind.?  
Chr. Pr.

set post at intersection cen. of sec. 4 & 5 from which  
a W. Oak 20 in. diameter N 65 E 69 lbs. dist. 2,  
a Do 18 " " " N 72 W 84 " "  
Land broken 2. rate, timber Oak & Hickory,  
Upr. Hazel & Sapaprap October 3, 1828

North between Sec. 31 & 32

7.00 leave Prairie  
18.83 a W. Oak 22 in. dia.  
20.00 enter S. Prairie  
37.50 leave "  
40.00 set of sec. post from which  
a Hickory 18 in. diameter S 11 W 47 lbs. dist. 2  
a Do 8 " " " N 48 W 43 " "  
80.00 set post cen. of sec. 29, 30, 31 & 32 from which  
a Hickory 12 in. diameter S 24 E 9 lbs. dist. 2  
a Do 12 " " " N 24 E 53 " "  
Land rolling 2. rate, scattering Oak, some Hazel

East on Random between Sec. 29 & 32

40.00 set temp. of sec. post  
80.30 Intersect N & S line 62 lbs. N of post -  
Land level 2. rate. Barrens with scattering  
Oak & Hickory, no Upr.

West Corrected between Sec. 29 & 32

40.15 set of sec. post at corner dist. from which  
a Hickory 6 in. diameter S 43 E 91 lbs. dist. 2  
a Do 5 " " " N 86 W 102 " "  
80.32 to sec. cen.

West between Sec. 30 & 31

24.33 a Hickory 12 in. dia.  
25.00 enter S. Prairie  
40.00 set of sec. post from which  
a Hickory 10 in. diameter S 75 W 142 lbs. dist.

T. 25 N., R. 3 W. 2. Mer. Ind. a.  
Ch. Ch.

(No other Bearing tree)

45.00 leave Prairie

86.00 Intersect W. Boundary 3 1/2 m. N. of post -  
set post at intersection cor. of sec. 30 & 31 from  
which a Hickory 13 in. dia. bears S 16 E 73 m. dist. 8  
a Do 15 " " " N 25 W 27 " "  
Land level, 1 1/2 miles - last 1/2 mile rolling  
timber Oak & Hickory. Open woods

---

North between Sec. 29 & 30

10.00 enter a Prairie

40.00 set of sec. post from which  
a W. Oak 27 in. dia. bears N 3 W 22 1/2 m. dist. 8  
a Do 24 " " " N 5 W 21 1/2 " "

42.00 leave Prairie

46.50 a Hickory 15 in. dia.

50.00 enter S. Prairie

64.00 leave "

71.69 a B. Oak 20 in. dia.

80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
a W. Oak 30 in. dia. bears S 11 E 120 m. dist. 8  
a Hickory 24 " " " North 11 " "  
Land level 2. rate, some scattering Oak & Hickory  
no Upr.

---

East on Random between Sec. 20 & 29

40.00 set temp. of sec. post

41.50 S. Prairie

57.50 leave Prairie

66.50 enter S. Prairie

80.15 Intersect N. S. line 65 m. N. of post -  
Land 2. rate, scattering Oak & Hickory, a little  
Sumack

---

West Corrected between Sec. 20 & 29

40.07 1/2 set of sec. post at aver. dist. from which

## T. 25 N., R. 3 W. 2. Mer. Ind.?

Chs. Lp.

a Hickory 14 in. diameter S 7 E 26 lbs. dist. 3

a Do 12 " " " N 71 E 18 " "

80.15 to sec. cr.

## West between Sec. 19 &amp; 30

20.00 enter Prairie

40.00 set of sec. post (no bearing trees)

46.00 leave Prairie &amp; enter Barrens

70.93 a W. Oak 18 in. dia.

85.60 Intersect W. Boundary 100 lbs. S. of post -

set post at intersection cr. of Sec. 19 &amp; 30 from which

a W. Oak 30 in. diameter S 44 W 97 lbs. dist. 3

a Do 24 " " " S 26 W 118 " "

Land the same as before noted

## North between Sec. 19 &amp; 20

4.50 enter Prairie

35.00 leave "

40.00 set of sec. post from which

a Hickory 3 in. diameter N 44 E 75 lbs. dist. 3

a B. Oak 2 " " " S 44 W 74 " "

54.82 a Hickory 12 " "

61.83 a Stream 40 lbs. wide course S E

80.00 set post cr. of Sec. 17, 18, 19, 20 from which

a W. Oak 5 in. diameter S 46 E 74 lbs. dist. 3

a Do 12 " " " N 26 W 40 " "

Land level, only about the branch & 2<sup>d</sup>. rate  
scattering Oak & Hickory, Barren open

## East on Random between Sec. 17 &amp; 20.

40.00 set temp. of sec. post

79.96 Intersect N &amp; S line 60 lbs. N. of post -

Land level Barrens 2<sup>d</sup>. rate, scattering Oak  
& Hickory, Upr. Oak

## West Connected between Sec. 17 &amp; 20



T. 25 N., R. 3 W. 2. Mer. Ind.  
Ch. Ls.

39.98 set of sec. post at aver. dist. from which  
a B. Oak 40 in. diameter N 34 E 115 lbs. dist.  
no other trees

79.96 to sec. cor.

West between Sec. 18 & 19

21.00 a Stream 15 lbs. wide course SE

40.00 set of sec. post from which  
a Hickory 5 in. diameter S 9 E 40 lbs. dist. 2,  
a Do 5 " " " N 50 W 43 " "

65.00 leave Barrens

67.95 a Span. Oak 24 in. dia.

85.50 Intersect W. Boundary 200 lbs. S. of post -  
set post at intersection cor. of Sec. 18 & 19 from which  
a B. Oak 30 in. diameter S 88 W 42 lbs. dist. 2,  
a Do 24 " " " N 39 W 65 " "  
Land level 2. rate, timber Oaks & Hickory, no Upr.  
October 4, 1828

North between Sec. 17 & 18

24.65 a Hickory 3 in. dia.

40.00 set of sec. post in Barrens, no bearing trees

72.68 a W. Oak 21 in. dia.

80.00 set post cor. of Sec. 7, 8, 17 & 18 from which  
a Bur Oak 23 in. diameter N 66 E 37 lbs. dist. 2,  
a W Oak 24 " " " N 53 W 157 " "  
Level 2. rate land, Barrens with scattering Oak &  
Hickory

East on Random between Sec. 8 & 17

40.00 set temp. of sec. post

79.84 Intersect N. & S. line 75 lbs. N. of post -  
Land the same as last noted

West Corrected between Sec. 8 & 17

39.92 a Hickory 18 in. diameter S 35 E 135 lbs. dist. 2

T. 25 N., R. 3 W. 2. Mer. Ind. a.  
 Exp. Exp.

a Hickory 3 in. diameter S 80° W 19 lbs. dist.  
 79.84 to sec. cor.

---

West between Sec. 7 & 18

40.00 set g. sec. post from which

a W. Oak 30 in. diameter S 40° E 35 lbs. dist. S

a Do 30 " " " N 41° W 50 " "

78.25 a B. Oak 38 " "

80.00 enter S. Prairie

85.00 Intersect W. Boundary 300 lbs. S. of post -

set post at intersection cor. of Sec. 7 & 18 & raised

a Mound - Sand level S. rate Barrens

---

North between Sec. 7 & 8

8.00 enter Prairie

40.00 set g. sec. post (no Bearing trees)

64.00 enter a small grove

76.50 enter Prairie

80.00 set post cor. of Sec. 5, 6, 7 & 8 & raised a Mound

(No Bearing trees)

First rate dry Prairie

---

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. post in Prairie

65.00 leave Prairie

79.96 Intersect N. S. line 50 lbs. N. of post -

Sand the same as before noted

---

West Connected between Sec. 5 & 8

39.98 set g. sec. post at aven. dist. (in Prairie, no  
 Bearing trees near)

79.96 to sec. cor.

---

West between Sec. 6 & 7

40.00 set g. sec. post in Prairie (no Bearing trees)

75.00 enter Barrens

T. 25 N., R. 3 W. 2. Mer. Ind. a  
Chs. Lhs.

85.67 Intersect N. Boundary 342 lks. E. of post -  
at post at intersection cr. of sec. 6 & 7 from which  
a Hickory & 4 in. dis. leads S 3 W 123 lks. dist.  
(no other Bearing tree)  
Land T. 25 dry Prairie

North between Sec. 5 & 6

40.00 set of sec. post in Prairie (no Bearing trees)  
77.00 Intersect N. Boundary 350 lks. E. of post -  
at post at intersection cr. of sec. 5 & 6 from which  
no Bearing trees, raised a Mound.  
Land T. 25 dry Prairie - October 5. 1828  
This Township was commenced September 28. 1828

Meanders of Wabash River. Commencing  
at post on right bank, corner of Burnetts Reserve,  
thence right bank up stream

| Course | Dist.<br>Chs. Lhs. | Remarks                                     |
|--------|--------------------|---|
| N 36 W | 15.19              | In Sec. 25                                  |
| N 29 W | 13.78              |   |
| N 14 W | 3.50               |   |
| N 21 W | 3.21               |   |
| N 11 W | 3.57               |   |
| N 2 W  | 6.47               |   |
| N 9 E  | 1.50               |   |
| N 1 W  | 3.50               |   |
| N 14 E | 4.50               |   |
| N 9 E  | 1.38               | a Spring branch 8 lks. wide course S E      |
| N 9 E  | 0.83               | to post in line between Sec. 24 & 25        |
| N 9 E  | 6.94               | In Sec. 24                                  |
| N 3 E  | 7.04               |   |
| N 9 E  | 2.84               |   |
| N 2 E  | 3.63               |   |
| N 10 E | 4.02               | at 3.00 Chs. a Stream 20 lks. wide course S |

## T. 25 N., R. 3 W. S. Mer. Ind. a

| Course | Chs. | Remarks                                  |
|--------|------|--|
| N 19 E | 5.75 |  |
| N 27 E | 3.28 |  |
| N 36 E | 6.69 |  |
| N 40 E | 3.00 |  |
| N 44 E | 2.40 |  |
| N 30 E | 4.50 |  |
| N 35 E | 2.03 | to port in E. Boundary, October 14, 1828 |

|  |       |                         |
|--|-------|-------------------------|
| Meanders of Tippecanoe River,<br>Commencing at port in S. Boundary on right<br>bank of river, thence up stream |       |                         |
| N 40 E   | 0.90  | In Sec. 32              |
| N 55 E   | 4.87  |                         |
| N 67 E   | 10.00 |                         |
| N 76 E   | 2.50  |                         |
| East   | 3.02  |                         |
| S 74 E   | 3.62  |                         |
| S 66 E   | 3.20  |                         |
| S 40 E   | 5.64  | to port in S. Boundary. |

|   |       |                                  |
|---|-------|----------------------------------|
| Commencing again in S. Boundary, thence<br>right bank up stream |       |                                  |
| N 42 W  | 1.35  | In Sec. 33                       |
| N 34 W  | 8.85  |                                  |
| N 26 W  | 2.72  |                                  |
| N 10 W  | 2.50  |                                  |
| N 5 W   | 3.84  |                                  |
| N 9 E   | 1.00  |                                  |
| N 28 E  | 13.56 |                                  |
| N 15 E  | 4.29  |                                  |
| N 11 E  | 10.83 |                                  |
| N 5 W   | 9.90  |                                  |
| N 10 W  | 6.36  |                                  |
| N 16 W  | 7.88  |                                  |
| N 20 W  | 3.93  | at 3.00 Chs. lower end of Island |
| N 27 W  | 1.72  |                                  |



## T. 25 N., R. 3 W. 2, Mer. Ind.

Course &amp; Dist.

Remarks

N 32° W 5.25

N 25° W 7.73 to post in line between Sec. 28 &amp; 33 &amp; upper end of an Island &amp; lower end of another

N 26° W 9.14 In Sec. 28 - upper end of Island

N 33° W 4.92

N 16° E 2.74

North 1.25 lower end of Island

N 26° W 9.64

N 17° W 11.83 upper end of Island

N 14° W 3.22

N 4° W 5.00

N 11° W 9.88 at 8.00 Chs. a Spring branch 18 Chs. wide

N 2° W 3.44 set post on right bank of Tip. R. from which  
a Sycamore 3 in. dia. bears N 6° W 62 Chs. dist. 3  
a Dr 2 " " " N 14° W 63 " "

N 21° W 4.02 In Sec. 29

N 2° E 6.42

N 14° E 4.75 to post in line between Sec. 28 & 29. from wh.  
a Sycamore 5 in. dia. bears N 20° E 20 Chs. dist.  
no other tree near

N 15° E 3.66 In Sec. 28

N 4° E 4.56 to post in line between Sec. 21 &amp; 28

N 4° W 9.00 In Sec. 21 - a Stream 44 Chs. wide &  
lower end of an Island

N 5° E 5.75

N 4° W 4.25 to post in line between Sec. 20 &amp; 21

North 7.00 with said line

N 4° E 5.89 at 4.00 Chs. upper end of Island

N 17° E 4.79

N 21° E 6.87

N 44° E 5.57

N 72° E 4.96

## T. 25 N., R. 3 W., 2. Mer. Ind.?

Census Chs. Chs.

Remarks.

|      |       |                                      |
|------|-------|--------------------------------------|
| N83E | 10.74 |                                      |
| N63E | 4.10  |                                      |
| N53E | 3.87  |                                      |
| N66E | 2.73  |                                      |
| N78E | 10.70 |                                      |
| S83E | 3.10  |                                      |
| S75E | 3.31  |                                      |
| S69E | 5.55  |                                      |
| S61E | 3.53  |                                      |
| S57E | 4.43  |                                      |
| S55E | 2.65  |                                      |
| S65E | 3.88  |                                      |
| S60E | 3.81  |                                      |
| S68E | 4.43  |                                      |
| S60E | 3.70  |                                      |
| S78E | 2.63  | to post in line between Sect 21 & 22 |

---

|      |      |                     |
|------|------|---------------------|
| S88E | 2.67 | In Sec. 22          |
| N78E | 3.62 |                     |
| N73E | 5.55 |                     |
| N67E | 7.54 |                     |
| N64E | 6.39 |                     |
| N46E | 3.67 |                     |
| N39E | 3.48 |                     |
| N27E | 8.40 |                     |
| N5E  | 7.00 |                     |
| N6W  | 5.42 |                     |
| N22W | 2.06 |                     |
| N38W | 2.43 |                     |
| N49W | 3.11 |                     |
| N51W | 2.07 |                     |
| N63W | 3.77 |                     |
| N72W | 3.58 |                     |
| N84W | 2.83 |                     |
| S81W | 2.25 | lower end of Island |
| S70W | 6.84 | upper " " do        |

## T. 25 N., R. 3 W. 2, Mer. Ind.

Chamber. Ch. Ch.

Remarks

S79W 4.46

S69W 3.50

S70W 2.07

S71W 3.00 to post in line between Sec. 21 &amp; 22

S78W 6.77 In Sec. 21 - at 5.50 Ch. lower end of Island

S68W 4.35

S86W 3.40

S80W 3.11

N77W 7.06 at 3.00 Ch. upper end of Island

N73W 6.13 at 3.50 " lower " of Do

N65W 1.37

N64W 5.64

N40W 5.13 at 1.50 Ch. upper end of Island

N34W 2.95 to post in line between Sec. 16 &amp; 21

N37W 1.50 In Sec. 16

N32W 4.17

N12W 1.64

N30W 5.80

N42W 11.00

N12W 4.31

N4W 4.86

N15E 5.27

N33E 5.74

N60E 7.17

N68E 12.00

N44E 10.36

N80E 5.43

N89E 5.15

S89E 1.93

S84E 3.56

S70E 5.63

S52E 2.45

S60E 2.94 to post in line between Sec. 15 &amp; 16

January 30, 1829

## T. 25 N., R. 3 W., S. Mer. Ind. a

| Course | Ch. Lk. | Remarks                               |
|--------|---------|---------------------------------------|
| S60E   | 2.67    | In Sec. 15                            |
| S71E   | 2.50    |                                       |
| S86E   | 3.78    |                                       |
| N80E   | 13.72   | at 3.50 upper end of Island           |
| N62E   | 2.83    |                                       |
| N49E   | 2.97    | at 1.05 Ch. lower end of Island       |
| N40E   | 9.54    | at 5.50 " upper " " do                |
| N22E   | 19.04   |                                       |
| N59W   | 3.45    | to point in line between Sec. 10 & 15 |
| N89W   | 6.96    | In Sec. 10                            |
| N24W   | 6.81    |                                       |
| N43W   | 5.69    |                                       |
| N66W   | 2.40    |                                       |
| West   | 2.05    |                                       |
| S81W   | 3.50    |                                       |
| S59W   | 5.21    |                                       |
| S35W   | 7.11    |                                       |
| S39W   | 7.73    |                                       |
| S30W   | 2.00    | to point in line between Sec. 10 & 15 |
| S32W   | 9.89    | In Sec. 15                            |
| S39W   | 1.97    |                                       |
| S50W   | 5.37    |                                       |
| S60W   | 1.43    | to point in line between Sec. 15 & 16 |
| S51W   | 3.12    | In Sec. 16                            |
| S61W   | 3.13    |                                       |
| S72W   | 4.53    |                                       |
| S76W   | 2.79    |                                       |
| S81W   | 3.23    |                                       |
| S89W   | 2.50    |                                       |
| N88W   | 3.24    |                                       |
| N84W   | 3.00    |                                       |
| N76W   | 6.34    |                                       |
| N67W   | 2.91    |                                       |



## T. 25 N., R. 3 W. 2. Mer. Ind.?

Courses Chs. Etc.)

Remarks

N51°W 5.25  
 N41°W 5.00  
 N20°W 3.73  
 N6°W 6.33 to post in line between Sec. 9 & 10

N5°E 7.21 in Sec. 9

N19°E 5.56

N27°E 2.50

N37°E 7.00

N46°E 1.84

N40°E 2.07

N54°E 5.57

N45°E 2.79

N35°E 4.33

N28°E 3.17

N30°E 7.11

N16°E 4.45

N5°W 2.87

N31°W 8.90

N38°W 6.85

N52°W 24.00 at 2.00 Chs. lower end of Island

" 8.50 " upper " " " "

N34°W 3.62 to post in line between Sec. 4 & 9

N34°W 13.07 In Sec. 4

N44°W 3.87

N65°W 4.50 at 1.50 Chs. a Stream 25 Yds. wide

N23°W 2.11

N3°W 1.50

N20°E 1.09 at 7 Chs. a Stream 25 Yds. wide

N12°E 1.00

N21°E 2.14

N24°E 1.28

N33°E 1.52

N41°E 3.59

N65°E 3.53

## T. 25 N., R. 3 W., 2. Mer. Ind. A.

| Comms | Ch. Lks | Remarks                               |
|-------|---------|---------------------------------------|
| N79E  | 3.00    |                                       |
| S81E  | 2.11    |                                       |
| S71E  | 4.10    |                                       |
| S66E  | 2.64    |                                       |
| S47E  | 1.77    |                                       |
| S61E  | 2.04    |                                       |
| S65E  | 4.50    |                                       |
| S71E  | 2.91    |                                       |
| S87E  | 4.27    |                                       |
| S71E  | 5.23    |                                       |
| N86E  | 2.50    |                                       |
| N70E  | 3.00    |                                       |
| N64E  | 2.24    |                                       |
| N58E  | 2.11    |                                       |
| N51E  | 1.75    |                                       |
| N32E  | 2.71    |                                       |
| N29E  | 1.85    |                                       |
| N23E  | 5.89    |                                       |
| North | 1.61    |                                       |
| N129W | 4.81    |                                       |
| N339W | 5.87    |                                       |
| N46W  | 2.82    |                                       |
| N69W  | 1.96    |                                       |
| N49W  | 6.44    |                                       |
| N35W  | 3.86    |                                       |
| N17W  | 5.30    |                                       |
| N29W  | 3.97    |                                       |
| N8E   | 3.24    |                                       |
| N23E  | 1.35    |                                       |
| N7E   | 2.61    |                                       |
| N10E  | 1.81    |                                       |
| North | 1.07    |                                       |
| N74W  | 3.00    |                                       |
| N147W | 4.20    | to port in N. Boundary, Jan. 31. 1829 |
|       |         | Commencing at port in Boundary on     |

T. 25 N., R. 3 W. 2<sup>d</sup> Mer. Ind.?

Corners Ch. Lhs

Remarks

left bank of Tippecanoe River, thence said  
bank down stream

|        |      |  |
|--------|------|--|
| S 8 E  | 1.85 | In Sec. 4  |
| S 29 W | 2.94 |  |
| S 77 W | 6.92 |  |
| S 16 W | 2.26 |  |
| S 59 W | 3.58 |  |
| S 11 E | 2.30 |  |
| S 26 E | 2.84 |  |
| S 39 E | 2.90 |  |
| S 55 E | 3.11 |  |
| S 64 E | 3.88 |  |
| S 45 E | 2.68 |  |
| S 30 E | 7.57 | to post in line between Sec. 3 & 4 from which<br>a Cedar 20 in. dia. runs N 40° W 42 lbs. dist. 23<br>a Do 20 " " " S 40° E 21 " " |

|  |      |   |
|--|------|---|
| S 26 E                                       | 2.57 | In Sec. 3   |
| S 16 E                                       | 1.96 | { The distance over the bend is 12 Chs.<br>75 lbs.  |
| S 3 E  | 2.95 |   |
| S 13 W                                       | 3.63 |   |
| S 19 W                                       | 2.43 | to post in line between Sec. 3 & 4 from which<br>a B. Oak 12 in. dia. runs N 6° E 22 lbs. dist. 8<br>a Do 18 " " " S 70° E 26 " " |
| These posts were omitted in the subdivision. |      |   |

|        |      |           |
|--------|------|-----------|
| S 26 W | 3.91 | In Sec. 4 |
| S 35 W | 3.10 |           |
| S 47 W | 4.24 |           |
| S 62 W | 4.17 |           |
| S 71 W | 2.22 |           |
| S 80 W | 5.60 |           |
| S 83 W | 3.19 |           |
| N 80 W | 1.40 |           |
| N 85 W | 3.77 |           |
| N 72 W | 6.00 |           |

## T. 25 N., R. 3 W. 2. Mer. Ind. a

Courses &amp; Chs.

Remarks

N60°W 2.80

N55°W 4.50

N44°W 3.50

N46°W 3.82

S85°W 1.90

S75°W 1.78

S68°W 1.41

S51°W 1.64

S21°W 1.60

S3°W 1.17

S23°E 1.66

S40°E 3.80

S27°E 8.50

S30°E 4.02

S41°E 1.89

S59°E 3.17

S45°E 1.43 to port in line between Sec. 4 &amp; 9

S40°E 3.50 In Sec. 9

S47°E 2.59

S57°E 2.75

S50°E 3.36

S68°E 2.08 upper end of Island

S75°E 3.08

S53°E 3.37 lower end of Island

S31°E 3.63

S29°E 7.41

S33°E 6.00 at N. 75 Chs. a Steam 15 Mts. wide

S29°E 1.83

S2°E 5.76

S8°W 3.00

S12°W 5.42

S24°W 4.64

S19°W 3.69

S30°W 3.17

S34°W 3.78



## T. 25 N., R. 3 W. 2. Mer. Ind. a.

| Courses | Ch. Lk. | Remarks                              |
|---------|---------|--------------------------------------|
| S37°W   | 4.30    |                                      |
| S50°W   | 3.15    |                                      |
| S52°W   | 3.00    | February 4. 1829                     |
| S59°W   | 2.80    |                                      |
| S37°W   | 3.00    |                                      |
| S29°W   | 6.84    |                                      |
| S19°W   | 4.34    |                                      |
| S9°W    | 3.75    | to port in line between Sec. 9 & 16  |
| South   | 2.78    | In Sec. 16                           |
| S8°E    | 3.50    |                                      |
| S21°E   | 2.74    |                                      |
| S41°E   | 4.37    |                                      |
| S62°E   | 5.95    |                                      |
| S87°E   | 2.95    |                                      |
| N83°E   | 2.31    | at 50 lks. upper end of Island       |
| S87°E   | 2.00    |                                      |
| S64°E   | 3.00    | at 200 lks. lower end of Island      |
| S85°E   | 2.94    |                                      |
| N72°E   | 3.00    |                                      |
| N64°E   | 10.57   |                                      |
| N54°E   | 2.24    |                                      |
| N50°E   | 0.50    | to port in line between Sec. 5 & 16  |
| N50°E   | 2.50    | In Sec. 15                           |
| N35°E   | 6.62    |                                      |
| N25°E   | 2.00    | to port in line between Sec. 10 & 15 |
| N18°E   | 3.61    | In Sec. 10                           |
| N35°E   | 2.85    |                                      |
| N30°E   | 1.74    |                                      |
| N36°E   | 5.44    |                                      |
| N43°E   | 5.65    |                                      |
| N49°E   | 5.09    |                                      |
| N64°E   | 3.00    |                                      |
| N80°E   | 7.00    |                                      |

T. 25 N., R. 3 W. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

| Comms | Chr. Shd | Remarks                              |
|-------|----------|--------------------------------------|
| S74E  | 2.44     |                                      |
| S57E  | 4.88     |                                      |
| S37E  | 6.59     |                                      |
| S30E  | 2.61     |                                      |
| S25E  | 2.89     | to 1                                 |
| S19E  | 9.85     | to post in line between Sec. 10 & 15 |

|       |       |                                      |
|-------|-------|--------------------------------------|
| S109W | 7.54  | In Sec. 15                           |
| S269W | 25.00 |                                      |
| S459W | 3.07  |                                      |
| S409W | 3.22  |                                      |
| S619W | 6.78  |                                      |
| S779W | 5.44  |                                      |
| S649W | 2.21  |                                      |
| S789W | 2.61  |                                      |
| S849W | 2.71  |                                      |
| West  | 2.42  |                                      |
| S839W | 4.34  | at 3.50 Chr. upper end of Island     |
| N839W | 3.47  | to post in line between Sec. 15 & 16 |

|       |       |                     |
|-------|-------|---------------------|
| N729W | 8.73  | In Sec. 16          |
| N809W | 14.50 | lower end of Island |
| N859W | 1.78  |                     |
| S839W | 2.08  |                     |
| S779W | 4.09  |                     |
| S749W | 7.78  |                     |
| S709W | 6.20  |                     |
| S619W | 3.77  |                     |
| S649W | 2.55  |                     |
| S339W | 1.59  |                     |
| S289W | 4.73  |                     |
| S59W  | 1.97  |                     |
| S22E  | 1.79  |                     |
| S31E  | 2.80  |                     |
| S45E  | 7.50  |                     |
| S32E  | 2.00  |                     |

T. 25. N., R. 37. E. Mer. Ind. a

| Courses | Chs. | Remarks   |
|---------|------|---|
| 928E    | 3.04 |   |
| 922E    | 5.22 |   |
| 925E    | 5.50 |   |
| 905E    | 5.16 | to port in line between Sec. 16 & 21  |
| 931E    | 7.22 | In Sec. 21 - at 1.00 Chs. upper end of Island   |
| 964E    | 3.47 | at 1.50 Chs. lower end of Island  |
| 977E    | 3.52 |   |
| N82E    | 2.94 |   |
| N74E    | 3.14 | at 2.00 Chs. upper end of Island  |
| N67E    | 3.38 |   |
| N83E    | 2.44 |   |
| 981E    | 2.19 |   |
| 953E    | 4.54 | at 3.50 Chs. lower end of Island  |
| 985E    | 1.00 |   |
| N76E    | 2.68 | to port in line between Sec. 20 & 21  |
| N67E    | 1.50 | In Sec. 22  |
| N64E    | 3.56 |   |
| N56E    | 1.87 |   |
| N63E    | 2.20 |   |
| N36E    | 3.28 | to port in line between Sec. 15 & 22 from which<br>a W. Oak 20 in. dia. bears N69°W 130 Yds. distant<br>a Do 30 " " " N65°W 129 " " 3<br>this port stand 11.75 Chs. from cor. of Sec. 15, 16, 21 & 22 |
| N65E    | 2.96 | In Sec. 15  |
| N82E    | 2.69 |   |
| 982E    | 2.44 | to port in line between Sec. 15 & 22 from which<br>a Bottomwood N.W. dia. bears S59°E 29 Yds. distant<br>a Do 6 " " " S75°W 13 " " 3<br>the distance over the beach is 11.29 Chs.                     |
| 970E    | 4.00 | In Sec. 22  |
| 962E    | 4.61 |   |
| 951E    | 3.91 |   |
| 948E    | 2.16 |   |
| 942E    | 2.70 |   |

*T. 25 N., R. 3 W. 2. Mer. Ind. a*

| <i>Course</i> | <i>Chr. Chr.</i> | <i>Remarks</i>                                  |
|---------------|------------------|---|
| <i>S 30 E</i> | <i>3.16</i>      |   |
| <i>S 18 E</i> | <i>2.87</i>      |   |
| <i>S 3 E</i>  | <i>9.39</i>      |   |
| <i>S 14 W</i> | <i>4.89</i>      |   |
| <i>S 24 W</i> | <i>4.41</i>      |   |
| <i>S 35 W</i> | <i>4.50</i>      |   |
| <i>S 44 W</i> | <i>4.17</i>      |   |
| <i>S 50 W</i> | <i>2.86</i>      |   |
| <i>S 58 W</i> | <i>5.54</i>      |   |
| <i>S 71 W</i> | <i>3.36</i>      |   |
| <i>S 76 W</i> | <i>3.50</i>      |   |
| <i>S 63 W</i> | <i>3.61</i>      |   |
| <i>S 68 W</i> | <i>5.33</i>      |   |
| <i>S 73 W</i> | <i>4.00</i>      |   |
| <i>S 86 W</i> | <i>4.32</i>      |   |
| <i>N 84 W</i> | <i>2.00</i>      | <i>to port in line between Sec. 21 &amp; 22</i> |
| <i>N 71 W</i> | <i>15.00</i>     | <i>On Sec. 21</i>                               |
| <i>N 59 W</i> | <i>7.72</i>      |   |
| <i>N 50 W</i> | <i>5.81</i>      |   |
| <i>N 64 W</i> | <i>8.96</i>      |   |
| <i>N 68 W</i> | <i>3.71</i>      |   |
| <i>N 72 W</i> | <i>4.00</i>      | <i>February 5. 1829</i>                         |
| <i>S 79 W</i> | <i>4.00</i>      |   |
| <i>S 61 W</i> | <i>11.84</i>     |   |
| <i>S 70 W</i> | <i>4.96</i>      |   |
| <i>West</i>   | <i>5.56</i>      |   |
| <i>S 78 W</i> | <i>5.79</i>      |   |
| <i>S 74 W</i> | <i>2.26</i>      |   |
| <i>S 51 W</i> | <i>2.44</i>      |   |
| <i>S 30 W</i> | <i>2.67</i>      |   |
| <i>S 17 W</i> | <i>2.42</i>      |   |
| <i>S 10 W</i> | <i>1.64</i>      |   |
| <i>S 2 E</i>  | <i>1.12</i>      |   |
| <i>South</i>  | <i>12.00</i>     | <i>at 3.50 upper end of Island</i>              |
| <i>S 9 W</i>  | <i>4.41</i>      | <i>at 1.50 lower " " Do</i>                     |

## T. 25 N., R. 3 W. 2. Mer. Ind. a

| Course & Ch.     | Remarks                                       |
|------------------|---|
| S 49 W 2.86      |   |
| S 19 W 6.64      | to post in line between Sec. 21 & 28          |
| S 4 E 7.42       | In Sec. 28                                    |
| S 13 7/8 W 8.26  |   |
| S 8 7/8 W 4.24   |   |
| S 15 E 8.50      |   |
| S 22 E 15.93     | upper end of Island                           |
| S 34 E 5.54      |   |
| S 19 E 5.52      |   |
| S 2 E 5.65       |   |
| S 5 7/8 W 3.36   |   |
| S 11 E 1.65      |   |
| S 20 E 4.17      |   |
| S 34 E 8.21      |   |
| S 28 E 2.00      | lower end of an Island & upper end of another |
| S 44 E 7.21      | to post in line between Sec. 28 & 33          |
| S 22 E 4.06      | In Sec. 33                                    |
| S 17 E 14.32     | at 9.00 Ch. lower end of Island               |
| S 10 E 13.90     |   |
| S 5 7/8 W 8.42   |   |
| S 16 7/8 W 12.89 |   |
| S 27 7/8 W 4.41  |   |
| S 35 7/8 W 4.41  |   |
| S 21 7/8 W 10.00 |   |
| S 12 E 2.41      |   |
| S 26 E 3.15      |   |
| S 30 E 6.70      |   |
| S 45 E 5.72      | to post in S. Boundary of Sec. 33             |
|                  | Beginning at post in S. Boundary of           |
|                  | Sec. 32, thence right bank down stream        |
| N 45 7/8 W 3.24  | In Sec. 32                                    |
| N 66 7/8 W 2.97  |   |
| N 89 7/8 W 1.96  |   |



## T. 25 N., R. 3 W. 2. Mer. Ind.?

Courses Chs. Chs.

Remarks

S 85° W 0.75

S 61° W 1.55

S 58° W 1.62

S 02° W 2.40

S 65° W 0.55 to post in S. Boundary  
February 6. 1829

Pursuant to a contract dated 15<sup>th</sup> day of August 1828, and instructions from Edward Tiffin Surveyor General of the United States, I have surveyed and subdivided into sections the above township in the State of Indiana described in said contract, and I certify that the foregoing are correct and true Field Notes of the lines which they purport to be as part of said contract

Certified this 31<sup>st</sup> day of March 1829  
David Hillis  
Dep. Surveyor.

I certify that the foregoing transcript of Field Notes of the survey of Township N. 25 North, in Range N. 3 West of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati Oct. 15. 1842

William Johnston  
Sur. Genl.

## T. 25 N., R. 3 W. 2. Mer Ind. a.

Survey of an Island in the Wabash River  
in 1838. Var. 5° 48' E.

Meanders of Wabash River on left bank  
Commencing at cor. of Sec. 18 & 19, <sup>T. 25 N., R. 2 W.</sup> thence down  
the River as follows

| Courses     | Chs. Sh. | Remarks  |
|-------------|----------|--|
| S 63° W     | 13.35    | In Sec. 19, T. 25 N., R. 2 W   |
| S 55° W     | 22.32    |  |
| S 42° W     | 15.88    |  |
| S 39° W     | 4.25     |  |
| S 14° W     | 15.40    | to a Hackberry 20 in. dia. standing for<br>Meander post on Range line                                    |
|             |          | Thence in Sec. 24, T. 25 N., R. 3 W  |
| S 123° 4' W | 7.17     | at 2.00 Chs. embankment  |
| S 27° W     | 3.50     | at 2.75 ; Steam or channel 60 lbs. wide &<br>at 3.50 ; South side of Island, established<br>Meander post |
| S 13° W     | 23.25    | to corner, at 20 lbs. cross channel 75   |
|             |          | Meanders of Island. Beginning at<br>Meander post, thence as follows:                                     |
| S 20° W     | 1.50     |  |
| S 55° W     | 4.50     |  |
| N 60° W     | 0.50     |  |
| N 71° E     | 6.50     |  |
| N 42° E     | 4.00     |  |
| S 7° E      | 5.50     | to the place of Beginning  |

The foregoing are Meanders of the left bank  
of the Wabash River in Sec. 19, T. 25 N., R. 2 W.  
and Sec. 24, T. 25 N., R. 3 W. 2. Meridian,  
Indiana. And also the field notes of the  
survey and connection of the Island with  
Section 24, T. 25 N., R. 3 W.

T. 25 N., R. 3 W. 2. Mer. Ind. a.

The Meanders were carefully taken or retraced - the accompanying plat will represent the true situation in connection with Section 24.

A. E. Vansteele  
Dep. Surveyor

Hiram Clymer }  
William News } Chairmen